



SCOPE OF ACCREDITATION TO ISO/IEC 17025:2005

SUMMIT LABORATORY LLC¹
 900 Godfrey Ave SW
 Grand Rapids, MI 49503
 Thomas Krueger Phone: 616 245 3818
 tomk@summitlaboratory.com

BIOLOGICAL

Valid To: May 31, 2019

Certificate Number: 3136.01

In recognition of the successful completion of the A2LA evaluation process (including an assessment of the laboratory's compliance with the A2LA Food Testing Program Requirements, containing the 2015 "AOAC International Accreditation Guidelines for Laboratories Performing Microbiological and Chemical Analyses of Food, Dietary Supplements, and Pharmaceutical Testing"), accreditation is granted to this laboratory at the location listed above as well as the one satellite laboratory location listed below to perform the following tests on food products and environmental swabs:

<u>Test</u>	<u>Test Method</u>
3M Molecular Detection Assay 2 – <i>Escherichia coli</i> O157:H7	AOAC RI 071202
3M Molecular Detection Assay 2 – <i>Listeria monocytogenes</i>	AOAC 2016.08
3M Molecular Detection Assay 2 – <i>Listeria</i> spp.	AOAC 2016.07
3M Molecular Detection Assay 2 – <i>Salmonella</i>	AOAC 2016.01
3M Petrifilm Aerobic Count Plate	AOAC 990.12
3M Petrifilm Coliform / <i>E. coli</i> Count Plate	AOAC 991.14
3M Petrifilm Enterobacteriaceae	Compendium of Methods for the Microbiological Examination of Foods 4 th Edition, Chapter 8 / 3M Petrifilm
3M Petrifilm Aerobic Procedure for Lactic Acid Bacteria	Compendium of Methods for the Microbiological Examination of Foods 4 th Edition, Chapter 19 & 51 / 3M Petrifilm
3M Petrifilm Rapid Yeast and Mold Count Plate	AOAC 2014.05
3M Petrifilm <i>Staphylococcus aureus</i> Express Count Plate	AOAC 2003.07
3M Petrifilm Yeast and Mold Count Plate	AOAC 997.02

<u>Test</u>	<u>Test Method</u>
3M Tecra <i>E. coli</i> O157:H7	AOAC Cert. 001101
3M Tecra <i>Listeria</i>	AOAC 995.22
3M Tecra <i>Salmonella</i> Ultima	AOAC 998.09
GDS / PCR <i>Listeria</i> spp.	AOAC RI 070701
GDS / PCR <i>Listeria monocytogenes</i>	AOAC RI 070702
GDS / PCR MPX Top 7 STEC	AOAC Cert. 071301
GDS / PCR <i>Salmonella</i> spp.	AOAC 2009.03

¹This accreditation covers testing performed at the main laboratory as well as the satellite laboratory listed below.

SUMMIT LABORATORY LLC
1535 Industrial Park Dr.
Hart, MI 49420

<u>Test</u>	<u>Test Method</u>
3M Petrifilm Aerobic Count Plate	AOAC 990.12
3M Petrifilm Coliform / <i>E. coli</i> Count Plate	AOAC 991.14
3M Petrifilm Enterobacteriaceae	Compendium of Methods for the Microbiological Examination of Foods 4 th Edition, Chapter 8 / 3M Petrifilm
3M Petrifilm <i>Staphylococcus aureus</i> Express Count Plate	AOAC 2003.07
3M Petrifilm Yeast and Mold Count Plate	AOAC 997.02
3M Tecra <i>E. coli</i> O157:H7	AOAC Cert. 001101
3M Tecra <i>Listeria</i>	AOAC 995.22
3M Tecra <i>Salmonella</i> Ultima	AOAC 998.09
Chromogenic Agar – <i>E. coli</i> O157:H7	AOAC Cert. 060701
Chromogenic Agar – <i>Listeria monocytogenes</i>	AOAC Cert. 030406
Chromogenic Agar – <i>Salmonella</i>	AOAC Cert. 050701





Accredited Laboratory

A2LA has accredited

SUMMIT LABORATORY LLC

Grand Rapids, MI

for technical competence in the field of

Biological Testing

This laboratory is accredited in accordance with the recognized International Standard ISO/IEC 17025:2005 *General requirements for the competence of testing and calibration laboratories*. This laboratory also meets the requirements of A2LA R204 – *Specific Requirements – Food and Pharmaceutical Testing Laboratory Accreditation Program*. This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system (*refer to joint ISO-ILAC-IAF Communiqué dated 8 January 2009*).



Presented this 30th day of May 2017.

A handwritten signature in black ink, written over a horizontal line.

President and CEO
For the Accreditation Council
Certificate Number 3136.01
Valid to May 31, 2019

For the tests to which this accreditation applies, please refer to the laboratory's Biological Scope of Accreditation.